



#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Iggulden, et al.

Docket No.:

2001 P 18160 US

¥ Serial No.:

09/965,094

Patent No.:

6,734,09732

Certificate

Filed:

September 28, 2001

Issued:

May 11, 2004

MAY 2 6 2004

For:

LINER WITH POOR STEP COVERAGE TO IMPROVE CONTACT Of Correction

RESISTANCE IN W CONTACTS

## **Certificate of Mailing via First Class Mail**

Date of Deposit:

May 17, 2004

I hereby certify that the below listed correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Certificate of Mailing via First Class Mail (1 page)
Request for Issuance of Certificate of Correction (1 page)
Certificate of Correction (1 original and 1 copy)
1 Return Postcard

Respectfully submitted,

Engeldarl

Kristy Engeldahl Legal Assistant

Slater & Matsil, L.L.P. 17950 Preston Rd., Suite 1000 Dallas, TX 75252

Tel: 972-732-1001 Fax: 972-732-9218



#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Iggulden, et al.

Docket No.: 2001 P 18160 US

Serial No.:

09/965,094

Patent No.:

6,734,097 B2

Filed:

September 28, 2001

Issued:

May 11, 2004

For:

LINER WITH POOR STEP COVERAGE TO IMPROVE CONTACT

RESISTANCE IN W CONTACTS

## Request for Issuance of Certificate of Correction Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Upon review of the above-identified issued patent, Patentee notes an error in the claims that should be corrected as shown on the attached Certificate of Correction.

The mistake noted on the attached Certificate of Correction was incurred through the fault of the Patent and Trademark Office. Accordingly, no fee is required.

Patentee respectfully solicits the issuance of the requested Certificate of Correction.

Respectfully submitted,

Ira S. Matsil

Reg. No. 35,272

Slater & Matsil, L.L.P. 17950 Preston Rd., Suite 1000 Dallas, TX 75252

Tel: 972-732-1001 Fax: 972-732-9218

### UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,734,097 B2

**DATED** 

: 5/11/2004

INVENTOR(S)

: Iggulden, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 6, line 30, delete "RD" and insert --ILD--.

In column 6, line 44, delete "ILd" and insert --ILD--.

In column 6, line 55, delete "CM" and insert -- CMP--.

MAILING ADDRESS OF SENDER: Slater & Matsil, L.L.P. 17950 Preston Rd., Suite 1000 Dallas, TX 75252

PATENT NO: 6,734,097 B2

No. of additional copies: 0



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application for to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



PTO/SB/44 (07-03)

Approved for use through 01/31/2004. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,734,097 B2

DATED

: 5/11/2004

INVENTOR(S)

: Iggulden, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent

is hereby corrected as shown below:

In column 6, line 30, delete "RD" and insert --ILD--.

In column 6, line 44, delete "ILd" and insert --ILD--.

In column 6, line 55, delete "CM" and insert -- CMP--.

MAILING ADDRESS OF SENDER: Slater & Matsil, L.L.P. 17950 Preston Rd., Suite 1000 Dallas, TX 75252

PATENT NO: \_6,734,097 B2

No. of additional copies: 0



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application for to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2

MAY 9 c 7004